

A Comprehensive Survey on Quantum Machine Learning and Possible Applications

Muhammad Junaid Umer, Department of CS, Comsats University Islamabad, Wah, Pakistan*

Muhammad Imran Sharif, Comsats University Islamabad, Wah, Pakistan

ABSTRACT

Machine learning is a branch of artificial intelligence that is being used at a large scale to solve science, engineering, and medical tasks. Quantum computing is an emerging technology that has a very high computational ability to solve complex problems. Classical machine learning with traditional systems has some limitations for problem-solving due to a large amount of data availability. Quantum machine learning has high performance and computational ability that can effectively be used to solve computation tasks. This study reviews the latest articles in quantum computing and quantum machine learning. Building blocks of quantum computing and different flavors of quantum algorithms are also discussed. The latest work in quantum neural networks is also presented. In the end, different possible applications of quantum computing are also discussed.

KEYWORDS

Hybrid Computing, Machine Learning, Neural Networks, QML, Quantum, Quantum Algorithms, Quantum Computing, Quantum-Inspired

1. INTRODUCTION

Due to the improvement of computational ability ML has become a very important field to automatically analyze different tasks. A machine learning algorithm can analyze a large amount of data in terms of making an intelligent decision based on training data. The learning process in machine learning is mainly divided into three categories unsupervised, supervised, and re-enforcement learning. The first two categories are mainly utilized for data mining and data analysis tasks while re-enforcement learning is for interactive tasks where learning increased at every step. In the last two decades, with advancements in technology, computing power has increased rapidly, and new algorithms have come up continuously. Different studies have been proposed in which different classical ML and deep learning techniques are utilized in the literature (Akbar et al., 2017; Akhtar et al., 2020; Akram et al., 2018; Amin et al., 2016a, 2016b; Amin, Sharif, Rehman, et al., 2018; Amin, Sharif, Yasmin, Saba, Anjum, & Fernandes, 2019b; Sharif et al., 2017; Sharif, Khan, et al., 2018; Sharif et al., 2019, 2020; Sharif & Shah, 2019). Machine learning is being applied at a large scale in

DOI: 10.4018/IJEHMC.315730

*Corresponding Author

This article published as an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>) which permits unrestricted use, distribution, and production in any medium, provided the author of the original work and original publication source are properly credited.

medical diagnosis for example brain tumor detection with classical methods are presented in (Amin, Sharif, Gul, Raza, Anjum, Nisar, et al., 2019; Amin, Sharif, Raza, et al., 2018; Amin, Sharif, Raza, Saba, & Anjum, 2019; Amin, Sharif, Raza, Saba, & Rehman, 2019; Amin, Sharif, Yasmin, et al., 2018; Amin, Sharif, Yasmin, Saba, Anjum, & Fernandes, 2019a, 2019b; Khan et al., 2019; Masood et al., 2013; Raza et al., 2012; Saba et al., 2020; Sharif, Tanvir, et al., 2018; Yasmin, Mohsin, et al., 2012; Yasmin, Sharif, et al., 2012a, 2012b). Breast cancer detection by using the classical ML and deep learning are presented in (Mughal et al., 2017, 2018, 2019; Mughal & Sharif, 2017; Yasmin et al., 2013). Different studies in which classical computing is utilized for solution of different tasks are presented in (Amin, Sharif, Yasmin, Ali, et al., 2017; Amin, Sharif, Yasmin, & Fernandes, 2017; Arunkumar et al., 2017; S. L. Fernandes et al., 2017; Raja et al., 2018; Rajinikanth et al., 2017). The data growth is also increasing at a much higher rate as compared to the computer's performance. So, in the area of classical ML computing power is reducing due to the high complexity of big data.

Quantum computing is an emerging technology that offers a more efficient way to deal with complex and high computational tasks as compared to classical computations because it has a fundamentally different solution to computational problems. The quantum computer's problem-solving mechanism is purely based on a fundamental concept of quantum mechanics more precisely consist of quantum interference, quantum superposition, and entanglement (Imre, 2013; Imre & Gyongyosi, 2012; Nielsen & Chuang, 2002). Quantum computing is an emerging technology that may be available commercially in the coming few years because it has promising results on computational problems (Barends et al., 2014; Biamonte et al., 2017; Debnath et al., 2016; DiCarlo et al., 2009; Higgins et al., 2007; Ofek et al., 2016). In quantum computing to solve a specific problem, a high degree of parallelism can be achieved in a specific algorithm due to the paramount feature of high-speed computing. Shor's prime factorization solution is the one of example of demonstration of quantum computing power in terms of exponential speedup, which shows that factorization problem of big integer can be solved with quantum computing that is impossible to solve with classical method (Shor, 1997). After that a large number of studies are presented to solve the special problems for example, to searching in unstructured database Grover's algorithm showed that a quadric speed can be achieved with quantum computing (Grover, 1997). Rivest -Shamir-adleman (RSA) algorithm is an example to differentiate between the capacity of problem solving in terms of speedup by using traditional and quantum computing (Rivest et al., 1978). Solving some complex computational problems by using classical computing may require billions of years while in theory these complex computational problems may be solved in few hours with the help of quantum computing (Proos & Zalka, 2004).

Quantum computing has strong computation ability as compared to traditional computing so, the combination of QC and ML is the hot research area and a large amount of research work is being carried out to apply machine learning on quantum computers, this phenomenon is called QML. Recently, the progress of developing quantum computers is being increased for instance D-wave special-purpose quantum computers can run some traditional machine learning algorithms on it with high efficiency and can also perform quantum annealing (F. Hu et al., 2019). Large-scale quantum computing devices are being developed to run a quantum version of classical machine learning algorithms on it. Some advanced companies and research centers are trying to produce actual quantum circuits based on universal quantum computers that can effectively be used to perform quantum computational experiments on a lower amount of qubits with the help of cloud computing platforms. Nowadays, Quantum machine learning-based algorithms are also showing increased progress. Different classical ML algorithms, for example K-mean clustering, SVM, and dimensionality reduction algorithms have got their quantum version to run on quantum computers for performance enhancement. Quantum counterparts of some aforementioned classical ML algorithms have also been tested on real quantum computers (W. Hu, 2018; Z. Li et al., 2015; Tao Xin(辛涛) & Tao Xin(辛涛), 2018; Xin et al., 2020). Quantum versions of different machine learning algorithms are largely discussed in the literature, recent survey papers on quantum machine learning are presented in (Adcock et al., 2015; Oshurko, 2016; Schuld et al., 2015; Schuld & Killoran, 2019).

Due to high processing speed, quantum computing is being utilized to solve heavy computational tasks that are harder to solve with classical computing. Quantum computing is successfully utilized in Financial modeling tasks because of the stochastic nature of financial markets that can be model with help of inherited randomness of quantum computing (Egger et al., 2020; Orus et al., 2019; Palsson et al., 2017). Today stock exchange that has a worth of million-dollar is being controlled with classical computers, this type of complex problem can efficiently be solved with the power of quantum ML. Weather forecasting is another example of complex computing that has been a long goal for scientists can also be better modeled with the help of quantum computers due to the large parallel computing power of these systems. Classical computers have limited computing power and different difficulties may arise to model the complex molecules. Chemical reactions have a quantum nature and highly entangled quantum superposition states are involved in their formation (J. Li & Kais, 2019). Quantum computers can effectively be used to accurately model these states. Quantum cryptography is another interesting area of quantum computing that is the utilization of quantum mechanical attributes to accomplish the cryptographic stint. BB84 protocol for secure quantum key distribution is the foundation of quantum cryptography was presented by Bennett et al. as this type of security was impossible to achieve with classical computers (Bennett et al., 1992; Pathak, 2013).


All classical computing systems, for example, smartphones, laptops, and servers rely on a fundamental concept of storing and manipulating information in the form of individual bits having two states zero and one. To process and display information in classical computers millions of bits work together to solve or run any task. While in quantum computers a physical phenomenon of quantum mechanics is utilized to manipulate information. In quantum computers for information processing quantum bits or qubits are utilized. Contrasted to a bit where values are zero or one or a combination of these, in qubits, a concept of superposition is utilized in which complex-value-weighted states may purposefully be entangled into linear combinations across the qubits. The purpose of quantum computers is to solve the extremely large and complex computing task that is time-consuming and needs a lot of parallel processing power so, these are not the replacement of classical ones and thus are a complement to solve high computational tasks. Recently, remarkable progress is seen in the hardware construction of quantum computers that led to the development of quantum systems with ten qubits and dubbed as noisy quantum processors in absence of quantum error correlation (Preskill, 2018). Quantum computers have the potential to solve complex and high computational tasks faster than classical systems, the advantage of quantum to classical systems is presented in (Bravyi et al., 2018). Fault-tolerant universal quantum computers are also in the way to develop that require error correction (Aharonov & Ben-Or, 2008; Campbell et al., 2017; Gottesman, 1997).

This article reviews the latest studies in quantum computing and also discusses the different flavors of quantum algorithms. Building blocks of quantum computing and quantum neural networks with possible applications of QML in different areas are also discussed. The graphical general workflow of the proposed study is given in figure 1.

2. QUANTUM COMPUTING CONCEPTS

Quantum computing has become the most important new growth research field due to the high computational ability to solve complex tasks. Quantum machine learning is showing significant progress and success in different fields including medical image analysis and different classification tasks. In the medical and networks area classical machine learning is applied at a large scale to automate the manual diagnosis of different diseases (D. Chakraborty et al., 2021; S. Fernandes et al., 2019; S. L. Fernandes et al., 2020; S. L. Fernandes & Bala, 2016; S. L. Fernandes & Jha, 2020; ORTIZ et al., 2021; Wang et al., 2021). Quantum machine learning-based diagnosis systems are also gaining increased intention (Umer et al., n.d.). Building blocks of quantum computing for QML are presented in detail below.

Figure 1. General workflow of the survey



In classical computing devices for information processing and storing bits are utilized as a basic unit while in quantum computing basic unit for information processing is known as a quantum bit or qubit. A basic notation of representing qubits is given in equation 1:

$$|1\rangle = \begin{pmatrix} 0 \\ 1 \end{pmatrix}, |0\rangle = \begin{pmatrix} 1 \\ 0 \end{pmatrix} \quad (1)$$

These bits can be at both states simultaneously according to superposition that is not possible in classical systems as presented in equation 2:

$$|\delta\rangle = A|0\rangle + B|1\rangle = \begin{pmatrix} A \\ B \end{pmatrix} \quad (2)$$

Here $A, B \in \mathbb{C}$ and $|A|^2 + |B|^2 = 1$ which show the $|\delta\rangle$ is in both state zero and one at the same time. On measuring the probability of state zero and one will be $|A|^2$ and $|B|^2$ respectively (Bennett & DiVincenzo, 2000; Nielsen & Chuang, 2010; Y. Zhang & Ni, 2020).

Basic quantum circuits that are operating on qubits are known as quantum gates. Quantum gates are the main building block in quantum computation systems same as logic gates that are used in the classical system for designing digital circuits (Y. Zhang & Ni, 2020). The specialty of quantum gates is that these are all reversible gates as this property is not available in classical logic gates so, for representation of quantum gates unary matrices are utilized which means that the number of inputs and outputs are always the same in quantum gate circuits. Quantum gates in reality are operators that are used to transform one quantum state into another quantum state with unitary matrices are represented in equation 3:

$$U|\delta\rangle = \begin{pmatrix} u_{11} & u_{12} \\ u_{21} & u_{22} \end{pmatrix} \begin{pmatrix} A \\ B \end{pmatrix} = \begin{pmatrix} a \\ b \end{pmatrix} = |\varnothing\rangle \quad (3)$$

Measurement is the core problem of quantum mechanics interpretation in quantum computing that currently has no consensus. Here we are only considering the practical physics measurements without worrying about the philosophical differences (Y. Zhang & Ni, 2020). A collection of measurement W_w operators is used to describe the quantum measurements as reported by the quantum postulate. The system measurements are taken from the state space that is under these operators. Experimental outcomes in the form of measurements are represented by the index w . To calculate the probability of result (w), if the quantum state system ($|\delta\rangle$) is given following equation 4 can be used:

$$\Pr(w) = |\delta W_w^+ W_w \delta| \quad (4)$$

The system state after the measurement is presented in equation 5:

$$\frac{W_w \delta}{\sqrt{|\delta W_w^+ W_w \delta|}} \quad (5)$$

3. RELATED STUDIES

To understand the importance and applications of QC a detailed review of QC and QML is presented in this section. For an insight of basic concept of quantum computing interested readers are referred to read these books (Imre & Gyongyosi, 2012; Nielsen & Chuang, 2002) while for the understanding of quantum communication network see also (Meter, 2014). Problems related to quantum computation are discussed in (Penrose, 1999). Bennett et al. presented a study to discuss the strength and weaknesses of quantum computing (Bennett et al., 1997). The latest progress on quantum algorithms is presented in (Bacon & van Dam, 2010). To study the prime factorization problem solution with the help of quantum computing one can read Shors's article on it (Shor, 2006). An essential study on universal quantum computers is presented in (Deutsch & Penrose, 1985). Simulation of quantum computing with classical computers with complete detail is presented in Feynman's article (Feynman, 1982). A study on quantum computing coherence with its attributes and method to maintain it is presented by Unruh (Unruh, 1995). Basic quantum complexity theory with detail is proposed in (Bernstein & Vazirani, 1997). The explanation to solve the algebraic problem with the help of advanced quantum computing is discussed in (Childs & van Dam, 2010). To study the quantum computing speedup phenomena in detail interested may study a detailed article on it (Jozsa & Linden, 2003). Basic building blocks

and implementation detail of spin quantum systems in term matrix product states can be found in (Verstraete et al., 2008). To find out the temporary issues related to unstructured quantum computation one can read (Shepherd & Bremner, 2009). To study the main problem related to multiparty quantum computing delegation systems interested readers may access it (Kashefi & Pappa, 2017). A survey on difficult quantum simulation problems is presented in (Georgescu et al., 2014).

This review mainly categorized quantum machine learning into three approaches such that quantum-inspired machine learning, hybrid classical-quantum machine learning, and pure QML. These three approaches are mainly categorized into three classes based on the variety of data and algorithms that are used to solve a specific task for example which kind of algorithm is being used (quantum or classical) and what kind of data to use (quantum or classical data) (Aïmeur et al., 2006; Dunjko et al., 2016). Applications with an overview of different kinds of quantum algorithms with detail are presented by Montanaro (Montanaro, 2016). A review on QNNs-based methodologies and implementations with possible applications is proposed in (Jeswal & Chakraverty, 2019). In another study, Benedetti et al. (Benedetti, Lloyd, et al., 2019) presented an overall overview of hybrid quantum computing (classical and quantum computing), in their study they also discussed the framework for the variational and encoder circuits for component modeling. Quantum machine learning challenges and progress of quantum computing technology with its applications are presented in (Ciliberto et al., 2018; Resch & Karpuzcu, 2019). Quantum computing is an emerging technology that is making progress rapidly and is being applied in machine learning and real-world problems, this article categorized quantum computing into three approaches each of which is discussed in detail in the following subsection respectively.

3.1 Quantum-Inspired Machine Learning

In this approach, to boost the traditional ML process quantum computing principle is applied. Recently, a Q-inspired binary classifier based on a theory of quantum mechanics that involves the superposition mechanism to expand the high degree of freedom for taking intelligent decisions is presented by Tiwari et al. (Tiwari & Melucci, 2018). Their proposed methodology achieved a comparable result with classical SVM and KNN classifiers. For performance evaluation accuracy and F-measures are calculated. In another study, a binary supervised learning classifier inspired by quantum computing that works based on quantum theory and density matrices is presented by Sergioli et al. (Sergioli et al., 2019). Their classifier is known as Helstrom Quantum Centroid (HQC) which was tested on fourteen different datasets and results are also compared with classical learning models. A linear transformation-based quantum-inspired novel SVM algorithm for a classification task that achieved exponential speedup is presented by Ding et al. (Ding et al., 2020). The Quantum counterpart of the decision tree classifier that depends on the quantum fidelity and entropy measures is proposed by Lu et al. (Lu & Braunstein, 2014). A novel quantum-inspired NN known as the automated perceptron model is introduced in (Sagheer et al., 2019). Comparison of the presented model with the classical algorithm shows higher accuracy and low complexity. For ridge regression analysis a new quantum learning-based methodology is presented by Yu et al. (Yu et al., 2019). Quantum SVM for clustering using quantum Gaussian and polynomial kernels is presented (Bishwas et al., 2019). A Schrodinger equation-based clustering algorithm with the quantum framework is presented in (Casaña-Eslava et al., 2019).

3.2 Hybrid Quantum Machine Learning

In this technique, to decrease the learning cost and performance enhancement the power of quantum algorithms and classical algorithms are combined. Maria Schuld et al. have solved the classification problem and presented two different hybrid quantum ML-based systems in which different kernel approaches and feature maps are used to explore the quantum world. Their study also discussed that complex computing tasks can be performed more efficiently in Hilbert's space. Results show that

the quantum computing techniques performed better as compared to classical methods (Schuld & Killoran, 2019). To encode data in an N-dimensional vector a new quantum ML system that consists of a single quantum entity that utilized single shot training that needs fewer training parameters and can achieve high accuracy is presented by Soumik et al. (Adhikary et al., 2020). In another study, Havlicek et al. (Havlicek et al., 2019) proposed two versions of SVM, in the first model quantum variational circuits are used that need two algorithms for classification task one for training purposes and the other for quantum classification to correctly label the input data. In the second version of quantum SVM, a quantum kernel-based algorithm is proposed in which quantum kernel estimation is utilized. Quantum ML-based feature selection method for performance enhancement in ML techniques is introduced in (S. Chakraborty et al., 2020). The Quantum KNN classification algorithm performed better as compared to its classical counterpart and is presented by Ruan et al. (Ruan et al., 2017). An unsupervised hybrid quantum-classical algorithm to characterize NISQ hardware for the solution sampling problem is proposed by Benedetti et al. (Benedetti, Garcia-Pintos, et al., 2019). Grant et al. (Grant et al., 2018) presented a hierarchical structured-based binary classifier to solve the binary classification tasks. In another study, Zhang et al. (D.-B. Zhang et al., 2018) discussed the nonlinear regression by using hybrid quantum computing. Hybrid quantum-based solutions of different tasks such that clustering, classification, and regression are discussed in (Mitarai et al., 2018).

3.3 Pure Quantum Machine Learning

A quantum counterpart or quantum version of classical ML algorithms is known as QML that can effectively be implemented on real quantum computers. A quantum linear regression that is a counterpart of classical linear regression is presented in (Schuld et al., 2016) that works based on an N-dimensional quantum feature vector with logarithmic time. Willsch et al. (Willsch et al., 2020) presented a quantum version of SVM by implementing it on a quantum annealer device (Headquarters, 2020) abbreviated as QA-SVM. To train this SVM classifier quantum annealer is utilized and the QUBO equation is utilized for energy cost minimization purposes, for results improvement some features of quantum annealing are also utilized. In another study, Silva et al. (da Silva et al., 2016) proposed quantum neural network architecture, their study also proposed a superposition-based learning algorithm with polynomial time. A support vector machine binary classifier that runs on a quantum computer and works based on a non-sparse matrix with a large number of samples and different features with logarithmic complexity is presented (Rebentrost et al., 2014). Different quantum ML approaches are presented in table 1.

4. QUANTUM NEURAL NETWORKS

Classical deep neural networks have gained increased attention in the last decade and are the most important and well-known tools for machine learning. Many computer vision and medical image processing tasks have been solved by using these deep networks in different combinations (Amin, Sharif, Gul, Raza, Anjum, Nisar, et al., 2019; Amin, Sharif, Yasmin, et al., 2018; Amin, Sharif, Yasmin, Saba, Anjum, & Fernandes, 2019b; Anjum et al., 2020; Fayyaz et al., 2020; Hussain et al., 2020; Naqi et al., 2020; Raza et al., 2018). Deep feed-forward networks are the most basic example of classical deep NNs and can mathematically be defined as in equation 6:

$$B = f(A; \theta) \quad (6)$$

Here A representing the input vector of n-dimensions, B is generated output vector of m-dimensions and theta is representing the basic parameters for mapping the input vector to the output vector (Goodfellow et al., 2016).

Table 1. Summary of the existing work

Authors	Year	Type	Nature of Task	Model Name	Research Area
(Willsch et al., 2020)	2020	Quantum	Optimization & Classification	QASVM	Applied on Both Synthetic & Real Biomedical Data
(Sagheer et al., 2019)	2019	Q-Inspired	Classification	AMP	Breast & Synthetic Data
(Ruan et al., 2017)	2017	Hybrid	Classification	Quantum KNN	MINIST Data
(Schuld et al., 2016)	2016	Quantum	Regression	Quantum Regression	-
(Lu & Braunstein, 2014)	2014	Hybrid	Classification	TNN & MERA	MNIST & Synthetic Data
(Benedetti, Garcia-Pintos, et al., 2019)	2019	Hybrid	Generative Model	DDQCL	Synthetic BAS Data
(Tiwari & Melucci, 2018)	2018	Q-Inspired	Classification	QIBC	Text & Image Data
(Adhikary et al., 2020)	2020	Hybrid	Classification	Single-Shot Training	Iris, Cancer & Sonar Detection
(Sergioli et al., 2019)	2019	Q-Inspired	Classification	QNNMC	Medical Data
(Bishwas et al., 2019)	2019	Q-Inspired	Clustering	Quantum SVM for Clustering	Big Data
(Huang et al., 2021)	2021	QML	Prediction	Projected Quantum Model	Engineered Dataset
(Pomarico et al., 2021)	2021	Q-Inspired	Classification	Quantum SVM	Breast Cancer Biomedical
(Gupta et al., 2021)	2021	QML	Prediction	QML and Deep Models	Diabetes Detection
(Houssein et al., 2021)	2021	QML	Classification	Quantum CNN	COVID-19 Detection
(Terashi et al., 2021)	2021	QML	Classification	Quantum Approach	Physics
(Sajjan et al., 2021)	2021	QML	Classification	Quantum Model	Eigen State Filtration

The development of deep quantum learning algorithms is mainly inspired by classical NNs. The Boltzmann algorithm is the simplest example of QNNs. Quantum computing algorithms have several advantages as compared to their classical counterpart for example an exponential speedup and better performance may be achieved by making accurate training (Chowdhury & Somma, 2016; Temme et al., 2011; Yung & Aspuru-Guzik, 2012).

Back groundwork in the quantum neural network was started in 1995, Kak tried to implement a classical NN in a quantum network (Kak, 1995). In his work a detailed discussion of the versatility of quantum neural computers was presented. In another study, Parus (Perus, 1996) proposed a quantum counterpart of the classical gradient descent method and presented parallelism in quantum computing while Menneer and Narayanan proposed quantum neural network architecture and also discussed the quantum theory (Menneer & Narayanan, 1995). Recent notable work in QNNs that shows the importance of QC is presented in (Cao et al., 2017; Sagheer et al., 2019; Wiebe et al., 2015; Zidan et al., 2019).

5. APPLICATIONS

QML is an emerging technology and is being applied at a large scale to automate different tasks. QML has many advantages as compared to classical machine learning for example it can handle big data efficiently and may produce exponential speedup in many tasks. Many real-world problems may effectively be solved by using QML that are difficult to solve with classical computing for instance big data classification (Rebentrost et al., 2014). QML can effectively be applied in the medical domain, image compression, forecasting series, and spam detection (Sagheer et al., 2019; Sergioli et al., 2018; Xia & Kais, 2018). It can also be utilized to solve scheduling and different classification problems with high accuracy and speedup (Havlicek et al., 2019; Schuld & Killoran, 2019; Tran et al., 2016). QML has applications in different domains such that cervical cancer detection (Iliyasu & Fatichah, 2017), classification of electro cardiac signals (X. Tang & Shu, 2014), decision making in games (Clausen & Briegel, 2018), speech recognition (Kafian et al., 2018), image classification (Ruan et al., 2017; Tiwari & Melucci, 2018), recommender systems and (Kerenidis & Prakash, 2016; E. Tang, 2019), and natural language processing. From the above discussion, it can be concluded that quantum computing can effectively be utilized to solve complex and high computational tasks specifically in the medical field for automatic disease detection. Due to the high speed and efficiency of quantum computation, it can effectively be utilized in real-time applications.

6. CONCLUSION

This study presented a comprehensive review of quantum machine learning with its importance, applications, current state, and building blocks. QML is an emerging technology that may effectively be used to enhance performance and to achieve exponential speedup in many tasks where classical computational methods have some limitations. The main objective of this study is to highlight the current work in QC including three categories pure QML, quantum-inspired ML, and hybrid ML. With the development of quantum research and theories, it may be inferred that quantum machine learning is best suited for the high computational task with a large amount of data that needs a level of parallelism. As research in the field of QML is making progress it can be inferred that better quantum computers and a quantum version of machine learning algorithms may be produced to solve complex tasks efficiently in the near future. Discovering better algorithms to work with quantum computing is still an open area of research. Finally, this study gives an overview of quantum machine learning and recent studies in quantum computations with its possible applications. In future this work can be extended to provide a deeper view of quantum machine learning algorithms implementation on real quantum machines. Moreover, domain specific survey such that application of QML in medical diagnosis system may also be investigated.

Table 2. List of abbreviations

ML	Machine Learning
QNN	Quantum Neural Network
QML	Quantum Machine Learning
AI	Artificial Intelligence
KNN	K- nearest Neighbor
Q-inspired	Quantum inspired
QC	Quantum Computing
SVM	Support Vector Machine

REFERENCES

- Adcock, J., Allen, E., Day, M., Frick, S., Hinchliff, J., Johnson, M., Morley-Short, S., Pallister, S., Price, A., & Stanisic, S. (2015). *Advances in quantum machine learning*. <https://arxiv.org/abs/1512.02900>
- Adhikary, S., Dangwal, S., & Bhowmik, D. (2020). Supervised learning with a quantum classifier using multi-level systems. *Quantum Information Processing*, 19(3), 89. doi:10.1007/s11128-020-2587-9
- Aharonov, D., & Ben-Or, M. (2008). Fault-Tolerant Quantum Computation with Constant Error Rate. *SIAM Journal on Computing*, 38(4), 1207–1282. doi:10.1137/S0097539799359385
- Aïmeur, E., Brassard, G., & Gambs, S. (2006). Machine Learning in a Quantum World. In L. Lamontagne & M. Marchand (Eds.), *Advances in Artificial Intelligence* (pp. 431–442). Springer. doi:10.1007/11766247_37
- Akbar, S., Akram, M. U., Sharif, M., Tariq, A., & Yasin, U. (2017). Decision Support System for Detection of Papilledema through Fundus Retinal Images. *Journal of Medical Systems*, 41(4), 66. doi:10.1007/s10916-017-0712-9 PMID:28283997
- Akhtar, Z., Lee, J. W., Attique Khan, M., Sharif, M., Ali Khan, S., & Riaz, N. (2020). Optical character recognition (OCR) using partial least square (PLS) based feature reduction: An application to artificial intelligence for biometric identification. *Journal of Enterprise Information Management*. 10.1108/JEIM-02-2020-0076
- Akram, T., Khan, M. A., Sharif, M., & Yasmin, M. (2018). Skin lesion segmentation and recognition using multichannel saliency estimation and M-SVM on selected serially fused features. *Journal of Ambient Intelligence and Humanized Computing*, 1–20. doi:10.1007/s12652-018-1051-5
- Amin, J., Sharif, M., Gul, N., Raza, M., Anjum, M. A., Nisar, M. W., & Bukhari, S. A. C. (2019). Brain Tumor Detection by Using Stacked Autoencoders in Deep Learning. *Journal of Medical Systems*, 44(2), 32. doi:10.1007/s10916-019-1483-2 PMID:31848728
- Amin, J., Sharif, M., Raza, M., Saba, T., & Anjum, M. A. (2019). Brain tumor detection using statistical and machine learning method. *Computer Methods and Programs in Biomedicine*, 177, 69–79. doi:10.1016/j.cmpb.2019.05.015 PMID:31319962
- Amin, J., Sharif, M., Raza, M., Saba, T., & Rehman, A. (2019). Brain Tumor Classification: Feature Fusion. *2019 International Conference on Computer and Information Sciences (ICCIS)*, 1–6.
- Amin, J., Sharif, M., Raza, M., & Yasmin, M. (2018). Detection of brain tumor based on features fusion and machine learning. *Journal of Ambient Intelligence and Humanized Computing*, 1–17. doi:10.1007/s12652-018-1092-9
- Amin, J., Sharif, M., Rehman, A., Raza, M., & Mufti, M. R. (2018). Diabetic retinopathy detection and classification using hybrid feature set. *Microscopy Research and Technique*, 81(9), 990–996. doi:10.1002/jemt.23063 PMID:30447130
- Amin, J., Sharif, M., & Yasmin, M. (2016a). A Review on Recent Developments for Detection of Diabetic Retinopathy. *Scientifica*, 2016, 1–20. doi:10.1155/2016/6838976 PMID:27777811
- Amin, J., Sharif, M., & Yasmin, M. (2016b). A review on recent developments for detection of diabetic retinopathy. *Scientifica*, 2016, 2016. doi:10.1155/2016/6838976 PMID:27777811
- Amin, J., Sharif, M., Yasmin, M., Ali, H., & Fernandes, S. L. (2017). A method for the detection and classification of diabetic retinopathy using structural predictors of bright lesions. *Journal of Computational Science*, 19, 153–164. doi:10.1016/j.jocs.2017.01.002
- Amin, J., Sharif, M., Yasmin, M., & Fernandes, S. L. (2017). A distinctive approach in brain tumor detection and classification using MRI. *Pattern Recognition Letters*.
- Amin, J., Sharif, M., Yasmin, M., & Fernandes, S. L. (2018). Big data analysis for brain tumor detection: Deep convolutional neural networks. *Future Generation Computer Systems*, 87, 290–297. doi:10.1016/j.future.2018.04.065
- Amin, J., Sharif, M., Yasmin, M., Saba, T., Anjum, M. A., & Fernandes, S. L. (2019a). A new approach for brain tumor segmentation and classification based on score level fusion using transfer learning. *Journal of Medical Systems*, 43(11), 326. doi:10.1007/s10916-019-1453-8 PMID:31643004

- Amin, J., Sharif, M., Yasmin, M., Saba, T., Anjum, M. A., & Fernandes, S. L. (2019b). A New Approach for Brain Tumor Segmentation and Classification Based on Score Level Fusion Using Transfer Learning. *Journal of Medical Systems*, 43(11), 326. doi:10.1007/s10916-019-1453-8 PMID:31643004
- Anjum, M. A., Amin, J., Sharif, M., Khan, H., Malik, M. S. A., & Kadry, S. (2020). *Deep Semantic Segmentation and Multi-Class Skin Lesion Classification Based on Convolutional Neural Network*. IEEE. doi:10.1109/ACCESS.2020.3009276
- Arunkumar, N., Ramkumar, K., Venkatraman, V., Abdulhay, E., Fernandes, S. L., Kadry, S., & Segal, S. (2017). Classification of focal and non focal EEG using entropies. *Pattern Recognition Letters*, 94, 112–117. doi:10.1016/j.patrec.2017.05.007
- Bacon, D., & van Dam, W. (2010). Recent progress in quantum algorithms. *Communications of the ACM*, 53(2), 84–93. doi:10.1145/1646353.1646375
- Barends, R., Kelly, J., Megrant, A., Veitia, A., Sank, D., Jeffrey, E., White, T. C., Mutus, J., Fowler, A. G., Campbell, B., Chen, Y., Chen, Z., Chiaro, B., Dunsworth, A., Neill, C., O'Malley, P., Roushan, P., Vainsencher, A., Wenner, J., & Martinis, J. M. et al. (2014). Superconducting quantum circuits at the surface code threshold for fault tolerance. *Nature*, 508(7497), 500–503. doi:10.1038/nature13171 PMID:24759412
- Benedetti, M., Garcia-Pintos, D., Perdomo, O., Leyton-Ortega, V., Nam, Y., & Perdomo-Ortiz, A. (2019). A generative modeling approach for benchmarking and training shallow quantum circuits. *NPJ Quantum Information*, 5(1), 1–9. doi:10.1038/s41534-019-0157-8
- Benedetti, M., Lloyd, E., Sack, S., & Fiorentini, M. (2019). Parameterized quantum circuits as machine learning models. *Quantum Science and Technology*, 4(4), 043001. doi:10.1088/2058-9565/ab4eb5
- Bennett, C. H., Bernstein, E., Brassard, G., & Vazirani, U. (1997). Strengths and Weaknesses of Quantum Computing. *SIAM Journal on Computing*, 26(5), 1510–1523. doi:10.1137/S0097539796300933
- Bennett, C. H., Bessette, F., Brassard, G., Salvail, L., & Smolin, J. (1992). Experimental quantum cryptography. *Journal of Cryptology*, 5(1), 3–28. doi:10.1007/BF00191318
- Bennett, C. H., & DiVincenzo, D. P. (2000). Quantum information and computation. *Nature*, 404(6775), 247–255. doi:10.1038/35005001 PMID:10749200
- Bernstein, E., & Vazirani, U. (1997). Quantum Complexity Theory. *SIAM Journal on Computing*, 26(5), 1411–1473. doi:10.1137/S0097539796300921
- Biamonte, J., Wittek, P., Pancotti, N., Rebentrost, P., Wiebe, N., & Lloyd, S. (2017). Quantum machine learning. *Nature*, 549(7671), 195–202. doi:10.1038/nature23474 PMID:28905917
- Bishwas, A. K., Mani, A., & Palade, V. (2019). *An Investigation of Quantum Deep Clustering Framework with Quantum Deep SVM & Convolutional Neural Network Feature Extractor*. <https://arxiv.org/abs/1909.09852>
- Bravyi, S., Gosset, D., & König, R. (2018). Quantum advantage with shallow circuits. *Science*, 362(6412), 308–311. doi:10.1126/science.aar3106 PMID:30337404
- Campbell, E. T., Terhal, B. M., & Vuillot, C. (2017). Roads towards fault-tolerant universal quantum computation. *Nature*, 549(7671), 172–179. doi:10.1038/nature23460 PMID:28905902
- Cao, Y., Guerreschi, G. G., & Aspuru-Guzik, A. (2017). *Quantum Neuron: An elementary building block for machine learning on quantum computers*. <https://arxiv.org/abs/1711.11240>
- Casaña-Eslava, R. V., Lisboa, P. J. G., Ortega-Martorell, S., Jarman, I. H., & Martín-Guerrero, J. D. (2019). A Probabilistic framework for Quantum Clustering. <https://arxiv.org/abs/1902.05578>
- Chakraborty, D., Michel, A., Pannu, J. S., Raj, S., Satapathy, S. C., Fernandes, S. L., & Jha, S. K. (2021). Automated Synthesis of Memristor Crossbars Using Deep Neural Networks. In *Intelligent Data Engineering and Analytics* (pp. 345–357). Springer. doi:10.1007/978-981-15-5679-1_32
- Chakraborty, S., Shaikh, S. H., Chakrabarti, A., & Ghosh, R. (2020). A hybrid quantum feature selection algorithm using a quantum inspired graph theoretic approach. *Applied Intelligence*, 50(6), 1775–1793. doi:10.1007/s10489-019-01604-3

- Childs, A. M., & van Dam, W. (2010). Quantum algorithms for algebraic problems. *Reviews of Modern Physics*, 82(1), 1–52. doi:10.1103/RevModPhys.82.1
- Chowdhury, A. N., & Somma, R. D. (2016). *Quantum algorithms for Gibbs sampling and hitting-time estimation*. <https://arxiv.org/abs/1603.02940>
- Ciliberto, C., Herbster, M., Ialongo, A. D., Pontil, M., Rocchetto, A., Severini, S., & Wossnig, L. (2018). Quantum machine learning: A classical perspective. *Proceedings - Royal Society. Mathematical, Physical and Engineering Sciences*, 474(2209), 20170551. doi:10.1098/rspa.2017.0551 PMID:29434508
- Clausen, J., & Briegel, H. J. (2018). Quantum machine learning with glow for episodic tasks and decision games. *Physical Review A*, 97(2), 022303. doi:10.1103/PhysRevA.97.022303
- da Silva, A. J., Ludermir, T. B., & de Oliveira, W. R. (2016). Quantum perceptron over a field and neural network architecture selection in a quantum computer. *Neural Networks: The Official Journal of the International Neural Network Society*, 76, 55–64. doi:10.1016/j.neunet.2016.01.002 PMID:26878722
- Debnath, S., Linke, N. M., Figgatt, C., Landsman, K. A., Wright, K., & Monroe, C. (2016). Demonstration of a small programmable quantum computer with atomic qubits. *Nature*, 536(7614), 63–66. doi:10.1038/nature18648 PMID:27488798
- Deutsch, D., & Penrose, R. (1985). Quantum theory, the Church–Turing principle and the universal quantum computer. *Proceedings of the Royal Society of London. A. Mathematical and Physical Sciences*, 400(1818), 97–117. doi:10.1098/rspa.1985.0070
- DiCarlo, L., Chow, J. M., Gambetta, J. M., Bishop, L. S., Johnson, B. R., Schuster, D. I., Majer, J., Blais, A., Frunzio, L., Girvin, S. M., & Schoelkopf, R. J. (2009). Demonstration of two-qubit algorithms with a superconducting quantum processor. *Nature*, 460(7252), 240–244. doi:10.1038/nature08121 PMID:19561592
- Ding, C., Bao, T.-Y., & Huang, H.-L. (2020). *Quantum-Inspired Support Vector Machine*. <https://arxiv.org/abs/1906.08902>
- Dunjko, V., Taylor, J. M., & Briegel, H. J. (2016). Quantum-Enhanced Machine Learning. *Physical Review Letters*, 117(13), 130501. doi:10.1103/PhysRevLett.117.130501 PMID:27715099
- Egger, D. J., Gambella, C., & Marecek, J. (2020). Quantum Computing for Finance. *State-of-the-Art and Future Prospects.*, 1, 24.
- Fayyaz, M., Yasmin, M., Sharif, M., & Raza, M. (2020). J-LDFR: Joint low-level and deep neural network feature representations for pedestrian gender classification. *Neural Computing & Applications*. Advance online publication. doi:10.1007/s00521-020-05015-1
- Fernandes, S., Raj, S., Ortiz, E., Vintila, I., & Jha, S. K. (2019). Directed adversarial attacks on fingerprints using attributions. *2019 International Conference on Biometrics (ICB)*, 1–8. doi:10.1109/ICB45273.2019.8987267
- Fernandes, S. L., & Bala, G. J. (2016). A Novel Technique to Recognize Human Faces Across Age Progressions. *Proceedings of the International Conference on Soft Computing Systems*, 379–385. doi:10.1007/978-81-322-2671-0_36
- Fernandes, S. L., Gurupur, V. P., Sunder, N. R., Arunkumar, N., & Kadry, S. (2017). A novel nonintrusive decision support approach for heart rate measurement. *Pattern Recognition Letters*.
- Fernandes, S. L., Gurupur, V. P., Sunder, N. R., Arunkumar, N., & Kadry, S. (2020). A novel nonintrusive decision support approach for heart rate measurement. *Pattern Recognition Letters*, 139, 148–156. doi:10.1016/j.patrec.2017.07.002
- Fernandes, S. L., & Jha, S. K. (2020). Adversarial Attack on Deepfake Detection Using RL Based Texture Patches. *European Conference on Computer Vision*, 220–235. doi:10.1007/978-3-030-66415-2_14
- Feynman, R. P. (1982). Simulating physics with computers. *International Journal of Theoretical Physics*, 21(6), 467–488. doi:10.1007/BF02650179
- Georgescu, I. M., Ashhab, S., & Nori, F. (2014). Quantum simulation. *Reviews of Modern Physics*, 86(1), 153–185. doi:10.1103/RevModPhys.86.153

- Goodfellow, I., Bengio, Y., Courville, A., & Bengio, Y. (2016). *Deep learning* (Vol. 1). MIT Press.
- Gottesman, D. (1997). *Stabilizer Codes and Quantum Error Correction*. <https://arxiv.org/abs/quant-ph/9705052>
- Grant, E., Benedetti, M., Cao, S., Hallam, A., Lockhart, J., Stojevic, V., Green, A. G., & Severini, S. (2018). Hierarchical quantum classifiers. *NPJ Quantum Information*, 4(1), 65. doi:10.1038/s41534-018-0116-9
- Grover, L. K. (1997). Quantum Mechanics Helps in Searching for a Needle in a Haystack. *Physical Review Letters*, 79(2), 325–328. doi:10.1103/PhysRevLett.79.325
- Gupta, H., Varshney, H., Sharma, T. K., Pachauri, N., & Verma, O. P. (2021). *Comparative performance analysis of quantum machine learning with deep learning for diabetes prediction*. Complex & Intelligent Systems. doi:10.1007/s40747-021-00398-7
- Havlicek, V., Córcoles, A. D., Temme, K., Harrow, A. W., Kandala, A., Chow, J. M., & Gambetta, J. M. (2019). Supervised learning with quantum enhanced feature spaces. *Nature*, 567(7747), 209–212. doi:10.1038/s41586-019-0980-2 PMID:30867609
- Headquarters, C. (2020). *Technical Description of the D-Wave Quantum Processing Unit*. Academic Press.
- Higgins, B. L., Berry, D. W., Bartlett, S. D., Wiseman, H. M., & Pryde, G. J. (2007). Entanglement-free Heisenberg-limited phase estimation. *Nature*, 450(7168), 393–396. doi:10.1038/nature06257 PMID:18004379
- Houssein, E. H., Abohashima, Z., Elhoseny, M., & Mohamed, W. M. (2021). *Hybrid quantum convolutional neural networks model for COVID-19 prediction using chest X-Ray images*. ArXiv Preprint ArXiv:2102.06535.
- Hu, F., Wang, B.-N., Wang, N., & Wang, C. (2019). Quantum machine learning with D-wave quantum computer. *Quantum Engineering*, 1(2), e12. doi:10.1002/que2.12
- Hu, W. (2018). Empirical Analysis of a Quantum Classifier Implemented on IBM's 5Q Quantum Computer. *Journal of Quantum Information Science*, 8(1), 1–11. doi:10.4236/jqis.2018.81001
- Huang, H.-Y., Broughton, M., Mohseni, M., Babbush, R., Boixo, S., Neven, H., & McClean, J. R. (2021). Power of data in quantum machine learning. *Nature Communications*, 12(1), 1–9. doi:10.1038/s41467-021-22539-9 PMID:33976136
- Hussain, N., Khan, M. A., Sharif, M., Khan, S. A., Albeshier, A. A., Saba, T., & Armaghan, A. (2020). A deep neural network and classical features based scheme for objects recognition: An application for machine inspection. *Multimedia Tools and Applications*. Advance online publication. doi:10.1007/s11042-020-08852-3
- Ilyasu, A. M., & Fatichah, C. (2017). A Quantum Hybrid PSO Combined with Fuzzy k-NN Approach to Feature Selection and Cell Classification in Cervical Cancer Detection. *Sensors (Basel)*, 17(12), 2935. Advance online publication. doi:10.3390/s17122935 PMID:29257043
- Imre, S. (2013). Quantum communications: Explained for communication engineers. *IEEE Communications Magazine*, 51(8), 28–35. doi:10.1109/MCOM.2013.6576335
- Imre, S., & Gyongyosi, L. (2012). *Advanced Quantum Communications: An Engineering Approach*. John Wiley & Sons. doi:10.1002/9781118337462
- Jeswal, S. K., & Chakraverty, S. (2019). Recent Developments and Applications in Quantum Neural Network: A Review. *Archives of Computational Methods in Engineering*, 26(4), 793–807. doi:10.1007/s11831-018-9269-0
- Jozsa, R., & Linden, N. (2003). On the role of entanglement in quantum-computational speed-up. *Proceedings of the Royal Society of London. Series A: Mathematical, Physical and Engineering Sciences*, 459(2036), 2011–2032. doi:10.1098/rspa.2002.1097
- Kafian, S., Yaghoobi, M., & Attari, I. (2018). P65: Speech Recognition Based on Bbrain Signals by the Quantum Support Vector Machine for Inflammatory Patient ALS. *The Neuroscience Journal of Shefaye Khatam*, 6(2), 96–96.
- Kak, S. C. (1995). Quantum neural computing. *Advances in Imaging and Electron Physics*, 94, 259–313. doi:10.1016/S1076-5670(08)70147-2
- Kashefi, E., & Pappa, A. (2017). Multiparty Delegated Quantum Computing. *Cryptography*, 1(2), 12. doi:10.3390/cryptography1020012

- Kerenidis, I., & Prakash, A. (2016). *Quantum Recommendation Systems*. <https://arxiv.org/abs/1603.08675>
- Khan, M. A., Lali, I. U., Rehman, A., Ishaq, M., Sharif, M., Saba, T., Zahoor, S., & Akram, T. (2019). Brain tumor detection and classification: A framework of marker-based watershed algorithm and multilevel priority features selection. *Microscopy Research and Technique*, 82(6), 909–922. doi:10.1002/jemt.23238 PMID:30801840
- Li, J., & Kais, S. (2019). Entanglement classifier in chemical reactions. *Science Advances*, 5(8), eaax5283. Advance online publication. doi:10.1126/sciadv.aax5283 PMID:31414049
- Li, Z., Liu, X., Xu, N., & Du, J. (2015). Experimental Realization of a Quantum Support Vector Machine. *Physical Review Letters*, 114(14), 140504. doi:10.1103/PhysRevLett.114.140504 PMID:25910101
- Lu, S., & Braunstein, S. L. (2014). Quantum decision tree classifier. *Quantum Information Processing*, 13(3), 757–770. doi:10.1007/s11128-013-0687-5
- Masood, S., Sharif, M., Yasmin, M., Raza, M., & Mohsin, S. (2013). Brain image Compression: A brief survey. *Research Journal of Applied Sciences, Engineering and Technology*, 5(1), 49–59. doi:10.19026/rjaset.5.5083
- Menneer, T., & Narayanan, A. (1995). *Quantum-inspired neural networks*. Tech. Rep. R329.
- Meter, R. V. (2014). *Quantum Networking*. John Wiley & Sons. doi:10.1002/9781118648919
- Mitarai, K., Negoro, M., Kitagawa, M., & Fujii, K. (2018). Quantum circuit learning. *Physical Review. A*, 98(3), 032309. doi:10.1103/PhysRevA.98.032309
- Montanaro, A. (2016). Quantum algorithms: An overview. *NPJ Quantum Information*, 2(1), 1–8. doi:10.1038/npjqi.2015.23
- Mughal, B., Muhammad, N., & Sharif, M. (2019). Adaptive hysteresis thresholding segmentation technique for localizing the breast masses in the curve stitching domain. *International Journal of Medical Informatics*, 126, 26–34. doi:10.1016/j.ijmedinf.2019.02.001 PMID:31029261
- Mughal, B., & Sharif, M. (2017). Automated detection of breast tumor in different imaging modalities: A review. *Current Medical Imaging*, 13(2), 121–139. doi:10.2174/1573405612666160901121802
- Mughal, B., Sharif, M., & Muhammad, N. (2017). Bi-model processing for early detection of breast tumor in CAD system. *The European Physical Journal Plus*, 132(6), 1–14. doi:10.1140/epjp/i2017-11523-8
- Mughal, B., Sharif, M., Muhammad, N., & Saba, T. (2018). A novel classification scheme to decline the mortality rate among women due to breast tumor. *Microscopy Research and Technique*, 81(2), 171–180. doi:10.1002/jemt.22961 PMID:29143395
- Naqi, M., Sharif, M., & Jaffar, A. (2020). Lung nodule detection and classification based on geometric fit in parametric form and deep learning. *Neural Computing & Applications*, 32(9), 4629–4647. Advance online publication. doi:10.1007/s00521-018-3773-x
- Nielsen, M. A., Chuang, I., & Grover, L. K. (2002). Quantum Computation and Quantum Information. *American Journal of Physics*, 70(5), 558–559. doi:10.1119/1.1463744
- Nielsen, M. A., & Chuang, I. L. (2010). *Quantum Computation and Quantum Information: 10th Anniversary Edition*. Cambridge University Press., doi:10.1017/CBO9780511976667
- Ofek, N., Petrenko, A., Heeres, R., Reinhold, P., Leghtas, Z., Vlastakis, B., Liu, Y., Frunzio, L., Girvin, S. M., Jiang, L., Mirrahimi, M., Devoret, M. H., & Schoelkopf, R. J. (2016). Extending the lifetime of a quantum bit with error correction in superconducting circuits. *Nature*, 536(7617), 441–445. doi:10.1038/nature18949 PMID:27437573
- Ortiz, E. U., Shaikh, M. A., Salter, M. I., Wilkinson, S. R. W. Y., Pourtabatabaie, A., Vintila, I.-M., Fernandes, S., & Jha, S. K. (2021). *Systems and methods for dynamic passphrases*. Google Patents.
- Orus, R., Mugel, S., & Lizaso, E. (2019). Quantum computing for finance: Overview and prospects. *Reviews in Physics*, 4, 100028. doi:10.1016/j.revip.2019.100028
- Oshurko, I. (2016). *Quantum machine learning*. 10.1142/9781786348210_0010

- Palsson, M. S., Gu, M., Ho, J., Wiseman, H. M., & Pryde, G. J. (2017). Experimentally modeling stochastic processes with less memory by the use of a quantum processor. *Science Advances*, 3(2), e1601302. doi:10.1126/sciadv.1601302 PMID:28168218
- Pathak, A. (2013). *Elements of Quantum Computation and Quantum Communication*. CRC Press., doi:10.1201/b15007
- Penrose, R. (1999). *The emperor's new mind: Concerning computers, minds, and the laws of physics*. Oxford Univ. Press. <https://ebookcentral.proquest.com/lib/ub-heidelberg/detail.action?docID=1107726>
- Perus, M. (1996). *Neuro-Quantum Parallelism in Brain-Mind and Computers*. Undefined. /paper/Neuro-Quantum-Parallelism-in-Brain-Mind-and-Perus/0af2b6ae9f99e440a01a95b02ed7cdf04c2065df
- Pomarico, D., Fanizzi, A., Amoroso, N., Bellotti, R., Biafora, A., Bove, S., Didonna, V., La Forgia, D., Pastena, M. I., & Tamborra, P. (2021). A proposal of quantum-inspired machine learning for medical purposes: An application case. *Mathematics*, 9(4), 410. doi:10.3390/math9040410
- Preskill, J. (2018). Quantum Computing in the NISQ era and beyond. *Quantum*, 2, 79. doi:10.22331/q-2018-08-06-79
- Proos, J., & Zalka, C. (2004). *Shor's discrete logarithm quantum algorithm for elliptic curves*. <https://arxiv.org/abs/quant-ph/0301141>
- Raja, N. S. M., Fernandes, S. L., Dey, N., Satapathy, S. C., & Rajinikanth, V. (2018). Contrast enhanced medical MRI evaluation using Tsallis entropy and region growing segmentation. *Journal of Ambient Intelligence and Humanized Computing*, 1–12. doi:10.1007/s12652-018-0854-8
- Rajinikanth, V., Satapathy, S. C., Fernandes, S. L., & Nachiappan, S. (2017). Entropy based segmentation of tumor from brain MR images—a study with teaching learning based optimization. *Pattern Recognition Letters*, 94, 87–95. doi:10.1016/j.patrec.2017.05.028
- Raza, M., Sharif, M., Yasmin, M., Khan, M., Saba, T., & Fernandes, S. (2018). Appearance based pedestrians' gender recognition by employing stacked auto encoders in deep learning. *Future Generation Computer Systems*, 88, 28–39. Advance online publication. doi:10.1016/j.future.2018.05.002
- Raza, M., Sharif, M., Yasmin, M., Masood, S., & Mohsin, S. (2012). Brain image representation and rendering: A survey. *Research Journal of Applied Sciences, Engineering and Technology*, 4(18), 3274–3282.
- Rebentrost, P., Mohseni, M., & Lloyd, S. (2014). Quantum Support Vector Machine for Big Data Classification. *Physical Review Letters*, 113(13), 130503. doi:10.1103/PhysRevLett.113.130503 PMID:25302877
- Resch, S., & Karpuzcu, U. R. (2019). *Quantum Computing: An Overview Across the System Stack*. <https://arxiv.org/abs/1905.07240>
- Rivest, R. L., Shamir, A., & Adleman, L. (1978). A method for obtaining digital signatures and public-key cryptosystems. *Communications of the ACM*, 21(2), 120–126. doi:10.1145/359340.359342
- Ruan, Y., Xue, X., Liu, H., Tan, J., & Li, X. (2017). Quantum Algorithm for K-Nearest Neighbors Classification Based on the Metric of Hamming Distance. *International Journal of Theoretical Physics*, 56(11), 3496–3507. doi:10.1007/s10773-017-3514-4
- Saba, T., Mohamed, A. S., El-Affendi, M., Amin, J., & Sharif, M. (2020). Brain tumor detection using fusion of hand crafted and deep learning features. *Cognitive Systems Research*, 59, 221–230. doi:10.1016/j.cogsys.2019.09.007
- Sagheer, A., Zidan, M., & Abdelsamea, M. M. (2019). A Novel Autonomous Perceptron Model for Pattern Classification Applications. *Entropy (Basel, Switzerland)*, 21(8), 763. doi:10.3390/e21080763 PMID:33267477
- Sajjan, M., Sureshbabu, S. H., & Kais, S. (2021). *Quantum Machine-Learning for Eigenstate Filtration in Two-Dimensional Materials*. <https://arxiv.org/abs/2105.09488>
- Schuld, M., & Killoran, N. (2019). Quantum machine learning in feature Hilbert spaces. *Physical Review Letters*, 122(4), 040504. doi:10.1103/PhysRevLett.122.040504 PMID:30768345
- Schuld, M., Sinayskiy, I., & Petruccione, F. (2015). An introduction to quantum machine learning. *Contemporary Physics*, 56(2), 172–185. doi:10.1080/00107514.2014.964942

- Schuld, M., Sinayskiy, I., & Petruccione, F. (2016). Prediction by linear regression on a quantum computer. *Physical Review A*, 94(2), 022342. doi:10.1103/PhysRevA.94.022342
- Sergioli, G., Giuntini, R., & Freytes, H. (2019). A new quantum approach to binary classification. *PLoS One*, 14(5), e0216224. doi:10.1371/journal.pone.0216224 PMID:31071129
- Sergioli, G., Russo, G., Santucci, E., Stefano, A., Torrisi, S. E., Palmucci, S., Vancheri, C., & Giuntini, R. (2018). Quantum-inspired minimum distance classification in a biomedical context. *International Journal of Quantum Information*, 16(08), 1840011. doi:10.1142/S0219749918400117
- Sharif, M., Amin, J., Yasmin, M., & Rehman, A. (2020). Efficient hybrid approach to segment and classify exudates for DR prediction. *Multimedia Tools and Applications*, 79(15–16), 11107–11123. doi:10.1007/s11042-018-6901-9
- Sharif, M., Khan, M. A., Akram, T., Javed, M. Y., Saba, T., & Rehman, A. (2017). A framework of human detection and action recognition based on uniform segmentation and combination of Euclidean distance and joint entropy-based features selection. *EURASIP Journal on Image and Video Processing*, 2017(1), 89. doi:10.1186/s13640-017-0236-8
- Sharif, M., Khan, M. A., Faisal, M., Yasmin, M., & Fernandes, S. L. (2018). A framework for offline signature verification system: Best features selection approach. *Pattern Recognition Letters*.
- Sharif, M., Khan, M. A., Rashid, M., Yasmin, M., Afza, F., & Tanik, U. J. (2019). Deep CNN and geometric features-based gastrointestinal tract diseases detection and classification from wireless capsule endoscopy images. *Journal of Experimental & Theoretical Artificial Intelligence*, 0(0), 1–23. doi:10.1080/0952813X.2019.1572657
- Sharif, M., & Shah, J. H. (2019). *Automatic Screening of Retinal Lesions for Grading Diabetic Retinopathy*. Academic Press.
- Sharif, M., Tanvir, U., Munir, E. U., Khan, M. A., & Yasmin, M. (2018). Brain tumor segmentation and classification by improved binomial thresholding and multi-features selection. *Journal of Ambient Intelligence and Humanized Computing*, 1–20. doi:10.1007/s12652-018-1075-x
- Shepherd, D., & Bremner, M. J. (2009). Temporally unstructured quantum computation. *Proceedings - Royal Society. Mathematical, Physical and Engineering Sciences*, 465(2105), 1413–1439. doi:10.1098/rspa.2008.0443
- Shor, P. W. (1997). Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer. *SIAM Journal on Computing*, 26(5), 1484–1509. doi:10.1137/S0097539795293172
- Shor, P. W. (2006). Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer. *SIAM Journal on Computing*. Advance online publication. doi:10.1137/S0097539795293172
- Tang, E. (2019). A quantum-inspired classical algorithm for recommendation systems. *Proceedings of the 51st Annual ACM SIGACT Symposium on Theory of Computing*, 217–228. doi:10.1145/3313276.3316310
- Tang, X., & Shu, L. (2014). Classification of electrocardiogram signals with RS and quantum neural networks. *International Journal of Multimedia and Ubiquitous Engineering*, 9(2), 363–372. doi:10.14257/ijmue.2014.9.2.37
- Temme, K., Osborne, T. J., Vollbrecht, K. G., Poulin, D., & Verstraete, F. (2011). Quantum Metropolis sampling. *Nature*, 471(7336), 87–90. doi:10.1038/nature09770 PMID:21368829
- Terashi, K., Kaneda, M., Kishimoto, T., Saito, M., Sawada, R., & Tanaka, J. (2021). Event Classification with Quantum Machine Learning in High-Energy Physics. *Computing and Software for Big Science*, 5(1), 2. doi:10.1007/s41781-020-00047-7
- Tiwari, P., & Melucci, M. (2018). Towards a Quantum-Inspired Framework for Binary Classification. *Proceedings of the 27th ACM International Conference on Information and Knowledge Management*, 1815–1818. doi:10.1145/3269206.3269304
- Tran, T. T., Do, M., Rieffel, E. G., Frank, J., Wang, Z., O’Gorman, B., Venturelli, D., & Beck, J. C. (2016). A Hybrid Quantum-Classical Approach to Solving Scheduling Problems. *SOCS*, 98–106.
- Umer, M. J., Amin, J., Sharif, M., Anjum, M. A., Azam, F., & Shah, J. H. (2022, September 10). (n.d.). An integrated framework for COVID-19 classification based on classical and quantum transfer learning from a chest radiograph. *Concurrency and Computation*, 34(20), e6434. doi:10.1002/cpe.6434 PMID:34512201

- Unruh, W. G. (1995). Maintaining coherence in quantum computers. *Physical Review A*, 51(2), 992–997. doi:10.1103/PhysRevA.51.992 PMID:9911677
- Verstraete, F., Murg, V., & Cirac, J. I. (2008). Matrix product states, projected entangled pair states, and variational renormalization group methods for quantum spin systems. *Advances in Physics*, 57(2), 143–224. doi:10.1080/14789940801912366
- Wang, S.-H., Wu, K., Chu, T., Fernandes, S. L., Zhou, Q., Zhang, Y.-D., & Sun, J. (2021). SOSPCNN: Structurally Optimized Stochastic Pooling Convolutional Neural Network for Tetralogy of Fallot Recognition. *Wireless Communications and Mobile Computing*, 2021, 2021. doi:10.1155/2021/5792975 PMID:35573891
- Wiebe, N., Kapoor, A., & Svore, K. M. (2015). *Quantum Deep Learning*. <https://arxiv.org/abs/1412.3489>
- Willsch, D., Willsch, M., De Raedt, H., & Michielsen, K. (2020). Support vector machines on the D-Wave quantum annealer. *Computer Physics Communications*, 248, 107006. doi:10.1016/j.cpc.2019.107006
- Xia, R., & Kais, S. (2018). Quantum machine learning for electronic structure calculations. *Nature Communications*, 9(1), 4195. doi:10.1038/s41467-018-06598-z PMID:30305624
- Xin, T., Wang, B.-X., Li, K.-R., Kong, X.-Y., Wei, S.-J., Wang, T., Ruan, D., & Long, G.-L. (2018). Nuclear magnetic resonance for quantum computing: Techniques and recent achievements. *Chinese Physics B*, 27(2), 20308–20308. doi:10.1088/1674-1056/27/2/020308
- Xin, T., Wei, S., Cui, J., Xiao, J., Arrazola, I., Lamata, L., Kong, X., Lu, D., Solano, E., & Long, G. (2020). A Quantum Algorithm for Solving Linear Differential Equations: Theory and Experiment. *Physical Review. A*, 101(3), 032307. doi:10.1103/PhysRevA.101.032307
- Yasmin, M., Mohsin, S., Sharif, M., Raza, M., & Masood, S. (2012). Brain image analysis: A survey. *World Applied Sciences Journal*, 19(10), 1484–1494.
- Yasmin, M., Sharif, M., Masood, S., Raza, M., & Mohsin, S. (2012a). Brain image enhancement-A survey. *World Applied Sciences Journal*, 17(9), 1192–1204.
- Yasmin, M., Sharif, M., Masood, S., Raza, M., & Mohsin, S. (2012b). Brain image reconstruction: A short survey. *World Applied Sciences Journal*, 19(1), 52–62.
- Yasmin, M., Sharif, M., & Mohsin, S. (2013). Survey paper on diagnosis of breast cancer using image processing techniques. *Research Journal of Recent Sciences*.
- Yu, C.-H., Gao, F., & Wen, Q.-Y. (2019). An improved quantum algorithm for ridge regression. *IEEE Transactions on Knowledge and Data Engineering*. 10.1109/TKDE.2019.2937491
- Yung, M.-H., & Aspuru-Guzik, A. (2012). A quantum–quantum Metropolis algorithm. *Proceedings of the National Academy of Sciences of the United States of America*, 109(3), 754–759. doi:10.1073/pnas.1111758109 PMID:22215584
- Zhang, D.-B., Zhu, S.-L., & Wang, Z. D. (2018). *Nonlinear regression based on a hybrid quantum computer*. <https://arxiv.org/abs/1808.09607>
- Zhang, Y., & Ni, Q. (2020). Recent advances in quantum machine learning. *Quantum Engineering*, 2(1). Advance online publication. doi:10.1002/que2.34
- Zidan, M., Abdel-Aty, A.-H., El-shafei, M., Feraig, M., Al-Sbou, Y., Eleuch, H., & Abdel-Aty, M. (2019). Quantum Classification Algorithm Based on Competitive Learning Neural Network and Entanglement Measure. *Applied Sciences (Basel, Switzerland)*, 9(7), 1277. doi:10.3390/app9071277