

Handbook of Analytical Separations

SEPARATION METHODS IN DRUG SYNTHESIS AND PURIFICATION

VOLUME

8

Second Edition

Edited by

KLÁRA L. VALKÓ

Bio-Mimetic Chromatography Ltd
Business & Technology Center
Bessemer Drive, Stevenage
Herts, United Kingdom



Contents

Contributors

xi

Preface

xiii

| | |
|--|------------|
| 1. Comparison of various modes and phase systems for analytical HPLC | 1 |
| Pavel Jandera | |
| 1.1 Fundamentals of high-performance liquid chromatography | 1 |
| 1.2 High-performance liquid chromatography separation media | 11 |
| 1.3 Separation modes in high-performance liquid chromatography | 24 |
| 1.4 Method development and optimization of separation conditions | 58 |
| References | 84 |
| 2. Fast-generic HPLC methods | 93 |
| Ian M. Mutton | |
| 2.1 Introduction | 93 |
| 2.2 Theory | 94 |
| 2.3 Strategy for production of fast gradients | 96 |
| 2.4 Fast gradients in practice | 105 |
| 2.5 Conclusions | 108 |
| References | 108 |
| 3. Advances in capillary electrochromatography | 113 |
| José Luís Does-Sousa, Jelle De Vos, Debby Mangelings and Sebastiaan Eeltink | |
| 3.1 Introduction | 113 |
| 3.2 The electroosmotic flow | 115 |
| 3.3 Separation efficiency and kinetic performance limits | 118 |
| 3.4 Retention | 122 |
| 3.5 Instrument setup | 124 |
| 3.6 Column technology | 126 |
| 3.7 (Bio)pharmaceutical and biochemical applications | 129 |
| 3.8 Concluding remarks | 134 |
| List of abbreviations and symbols | 134 |
| Acknowledgements | 135 |
| References | 135 |

| | |
|---|------------|
| 4. Coupled chromatography—mass spectrometry techniques for the analysis of combinatorial libraries | 143 |
| Steve Lane | |
| 4.1 Introduction | 143 |
| 4.2 LC/MS analysis of high-throughput parallel synthesis libraries | 148 |
| 4.3 Example for monitoring the rehearsal phase of the synthesis of a solid-phase library | 157 |
| 4.4 LC/UV/MS as a prescreen for Autoprep solution phase | 158 |
| 4.5 Assisted automated LC/MS analysis | 162 |
| 4.6 The analysis of split-pool combinatorial libraries | 164 |
| 4.7 Industrialization of the process | 175 |
| 4.8 Conclusions and future | 191 |
| References | 193 |
| 5. Experimental design-based optimization strategies for chromatographic and capillary electrophoretic separations | 197 |
| Johan Viaene and Yvan Vander Heyden | |
| 5.1 Introduction | 197 |
| 5.2 Main factors affecting separation | 200 |
| 5.3 Responses and response functions | 200 |
| 5.4 Univariate optimization strategies | 205 |
| 5.5 Simplex sequential approach | 208 |
| 5.6 Factorial methods | 213 |
| 5.7 Multicriteria decision-making methods | 265 |
| 5.8 Peculiarities of optimizing separations: optimizing resolution | 270 |
| 5.9 Automating the entire process: expert systems and knowledge-based systems | 272 |
| 5.10 Transfer of optimized capillary electrophoresis methods | 273 |
| 5.11 Conclusions | 274 |
| References | 274 |
| 6. Computer-aided HPLC method development for quality control of complex drug mixtures — An application example for DryLab | 277 |
| Halina Katsialevich, Hans-Jürgen Rieger, Imre Molnár and Arnold Zöldhegyi | |
| 6.1 Introduction | 278 |
| 6.2 Experimental part | 281 |
| 6.3 Method development using the DryLab4 software | 285 |

| | |
|--|------------|
| 6.4 Summary | 301 |
| Acknowledgements | 302 |
| References | 302 |
| 7. The flexible application of automated preparative purification platforms within drug discovery | 307 |
| Jennifer Kingston, Neil Sumner, Katie Proctor and Elisabetta Chiarparin | |
| 7.1 Introduction | 307 |
| 7.2 Reverse-phase high-performance liquid chromatography as a robust chromatographic tool | 310 |
| 7.3 HPLC purification within drug discovery | 317 |
| 7.4 Evolution of supercritical fluid chromatography as a robust purification platform | 325 |
| 7.5 Multi-parallel synthesis purification processes at AstraZeneca | 340 |
| 7.6 Flexible use of HPLC and SFC as orthogonal separation techniques | 344 |
| 7.7 Conclusions | 346 |
| References | 346 |
| 8. Strategies for the development of process chromatography as a unit operation for the pharmaceutical industry | 349 |
| Drew Katti | |
| 8.1 Introduction | 349 |
| 8.2 The process development cycle | 359 |
| 8.3 Chromatographic unit operations | 367 |
| 8.4 Discovery experiment stage | 371 |
| 8.5 Development stage | 382 |
| 8.6 Modes of chromatography | 383 |
| 8.7 Overloaded elution chromatography-isocratic mode | 384 |
| 8.8 Economics of overloaded elution chromatography | 403 |
| 8.9 Simulated moving bed chromatography | 417 |
| 8.10 Chromatography techniques make a comes back | 426 |
| 8.11 Safety and environmental | 428 |
| 8.12 Regulatory and compliance | 436 |
| 8.13 Conclusion | 439 |
| List of symbols | 440 |
| Acknowledgements | 441 |
| References | 441 |

| | |
|---|----------------|
| 9. Recent developments in liquid and supercritical fluid chromatographic enantioseparations | 453 |
| Debby Mangelings, Sebastiaan Eeltink and Yvan Vander Heyden | |
| 9.1 Stereochemistry in a pharmaceutical environment | 453 |
| 9.2 Enantioseparations of racemates in liquid chromatography and sub/supercritical fluid chromatography | 454 |
| 9.3 Scope and aims | 458 |
| 9.4 Direct enantioseparations with chiral mobile phase additives | 458 |
| 9.5 Direct enantioseparations: chiral stationary phases | 459 |
| 9.6 Conclusions | 503 |
| Abbreviations | 505 |
| References | 506 |
| 10. Basis and pharmaceutical applications of thin-layer chromatography | 523 |
| Huba Kalász, Mária Báthori and Klára L. Valkó | |
| 10.1 Planar chromatography | 523 |
| 10.2 The components of the planar stationary phase | 535 |
| 10.3 Mobile phases for thin-layer chromatography | 546 |
| 10.4 The chambers | 548 |
| 10.5 Detection | 555 |
| 10.6 Application of thin-layer chromatography in pharmaceutical and forensic analysis | 566 |
| 10.7 Future developments, Quo Vadis thin-layer chromatography | 577 |
| Acknowledgements | 578 |
| References | 578 |
| 11. Recent advances in quantitative structure—retention relationships | 587 |
| Roman Kaliszan | |
| 11.1 Introduction | 587 |
| 11.2 Strategy of quantitative structure—retention relationship research | 589 |
| 11.3 Retention prediction | 601 |
| 11.4 Molecular mechanism of retention in view of quantitative structure—retention relationship | 608 |
| 11.5 Chromatographic methods of determination of hydrophobicity | 613 |
| 11.6 Applications of quantitative structure—retention relationship in molecular pharmacology and rational drug design | 616 |

| | |
|--|------------|
| 11.7 Concluding remarks | 621 |
| References | 622 |
| 12. Capillary electrophoresis for drug analysis and physicochemical characterization | 633 |
| Susana Amézqueta, Xavier Subirats, Elisabet Fugueta, Clara Ràfols and Martí Rosés | |
| 12.1 Introduction to capillary electrophoresis | 633 |
| 12.2 Buffers in capillary electrophoresis | 636 |
| 12.3 Capillary zone electrophoresis | 640 |
| 12.4 Nonaqueous capillary electrophoresis | 649 |
| 12.5 Introduction to micellar electrokinetic chromatography | 657 |
| 12.6 Introduction to microemulsion and liposome electrokinetic chromatography | 660 |
| References | 663 |
| 13. Application of HPLC measurements for the determination of physicochemical and biomimetic properties to model in vivo drug distribution in support of early drug discovery | 667 |
| Klára L. Valkó | |
| 13.1 Introduction | 667 |
| 13.2 Measurements of compound lipophilicity using chromatography | 669 |
| 13.3 Measurement of membrane binding by immobilized artificial membrane high-performance liquid chromatography | 689 |
| 13.4 Measurement of drug-protein binding constants by high-performance liquid chromatography | 695 |
| 13.5 Measurements of solubility by high-performance liquid chromatography | 702 |
| 13.6 Measurement of acid-base character by high-performance liquid chromatography | 710 |
| 13.7 Measurements of H-bond acidity, basicity and polarizability/dipolarity by high-performance liquid chromatography | 717 |
| 13.8 Application of chromatographic properties in drug discovery | 735 |
| 13.9 Conclusion | 747 |
| References | 748 |
| <i>Index</i> | 759 |